


MASTER-VENT

■ PRODUCT



IMV300



Lateral View




Top View

IMV300 Super Slim Ventilation System is with aesthetical design and perfect performance for domestic and commercial applications.

- Product uses internal rotor motor with no maintenance needed. High performance motor with world famous NSK ball bearing and thermal protection ensures long lasting quiet operation.
- Super slim casing is convenient for installation, maintenance and cleaning.

■ DESCRIPTION



CASING

- Epoxy paint casing to prevent rusting
- Compact size with thickness of 183mm for narrow installation space
- Enlarge indoor effective height



INTERNAL ROTOR MOTOR & IMPELLER

- Forward curved centrifugal type
- World famous NSK ball bearing, no maintenance needed
- Standard thermal protection
- Low power consumption, low noise level



MOUNTING


- Option of wall, ceiling and loft mounting
- Convenient mounting holes



IRON SPIGOT & INTAKE SPIGOT

- 4 air inlets covered with metal plate which can be replaced with 4 iron spigots when installation
- Equipped with auto air volume regulator which auto-regulates the volume and pressure within ducts

■ ACCESSORIES



2-SPEED CONTROLLER 1PC

- Suitable for different application requirements



INDOOR GRILLE 5PCS

- Different sizes available for selection



IRON SPIGOT & INTAKE SPIGOT 4 SETS

- Use spigots as per application requirements to replace metal plates

■ PRODUCT



IMV400 Top View



IMV400 Bottom View



Lateral Views

IMV450 / IMV450R (with Remote Controller)

■ DESCRIPTION



3-SPEED CONTROLLER

- Suitable for different application requirements



MOUNTING

- Option of wall, ceiling and loft mounting
- Convenient mounting kit



SLIM & ANTI-RUST CASING

- Compact size with thickness of 240mm for narrow installation space
- Anti-shock plastic casing to prevent rusting

MASTER-VENT



INTAKE SPIGOT


- Fitted with 6 intake spigots, 5 of them are on the lateral sides of the unit
- Equipped with an auto air volume regulator which auto-regulates the volume and pressure within ducts



EXTERNAL ROTOR MOTOR & IMPELLER

- Backward curved centrifugal type
- Integrated with world famous NSK ball bearings
- Precise balance as the hub and impeller as an integrated unit of short axial length
- Sealed for life, no maintenance is needed
- Durable
- Low power consumption
- Low operating temperature
- Built-in thermal cut-out
- Quiet operation

■ ACCESSORIES



GRILLES



SWITCH BOX



SPIGOT COVER

- To cover unused spigot



FLEXIBLE DUCT
(not included)