

# FULL PLASTIC RANGE

## ■ PRODUCT



TUB204 TUB255 TUB306

## ■ DESCRIPTION

- The fans are designed for direct exhaust to outdoor for domestic and commercial premises, e.g. bathroom, bedroom, living room, kitchen, lavatory, meeting room, office, computer room, restaurant, classroom, hospital ward, etc.
- Ceiling mounting
- Maintain best indoor ventilation and air circulation

### MOTOR

- durable and reliable capacitor run induction motor with high performance

### LOUVER


- elegant and aesthetically pleasing design
- prevent accidental touching of fan blades by fingers and obstacles

## ■ SPECIFICATIONS

Model	Blade Size in/mm	Volt/Hz	Input Power W	Speed R.P.M.	Air Volume m <sup>3</sup> /min	Sound Level dB(A)
<b>TUB204</b>	8/200	220V~50Hz	23	1240	4.3	47
<b>TUB255</b>	10/250	220V~50Hz	29	1160	7.2	49
<b>TUB306</b>	12/300	220V~50Hz	32	980	12	50

# FULL PLASTIC RANGE

## ■ DIMENSIONS(mm)




TUB204 TUB255 TUB306


Model	A	B	C	D	E	Installation Space mm	Applicable Area m <sup>2</sup>
<b>TUB204</b>	276	123	254	302	8	∅262	10~14
<b>TUB255</b>	336	131	310	366	9	∅320	16~20
<b>TUB306</b>	400	133	370	435	20	∅380	25~30

# ACCESSORIES


## LOUVER SELECTION FOR TUBULAR SIROCCO FAN




C1 ○




C2 ○



C3 ○



C4 ○




C5 ○



C6 ●



C7 ○




C8 ○




C10 ○



C11 ○



C12 ●




C13 ●



C14 ○



C15 ○



C16 ●



C17 ●

● Metal  
○ Plastic